




Vacuum Booster (VB) Servofrenos (SF)

The listed products make up our standard range. ***We are always prepared to consider special product requests, being able to adapt to low volume production if necessary.***

Los productos a continuación descritos son nuestro estandar.



Estamos preparados a considerar productos especiales solicitados por el cliente, para medianas y bajas series.









Remote Vacuum Booster (RVB) Servofrenos Hidráulicos (SFH)




Vacuum 600 mm Hg. / Vacio 600 mm Hg.



INSTALLATION GRAPH
INSTALACIÓN




SINGLE BRAKE CIRCUIT
CIRCUITO SIMPLE



OUTSIDE DIMENSIONS
DIMENSIONES EXTERIORES

Booster	Ø A	Ø B	C (mm)	V (cc)	D (mm)	E (mm)	F (mm)
A-I	51/2"	5/8"	40	8	105	90	127
Z-I	7"	7/8"	50	19	105	121	137
B-I	8"	7/8"	82	32	130	170	164
C-I	9"	7/8"	82	32	155	170	164

DOBLE BRAKE CIRCUIT
DOBLE CIRCUITO



OUTSIDE DIMENSIONS
DIMENSIONES EXTERIORES

Booster	Ø A	Ø B	C (mm)	V (cc)	Ø D (mm)	E (mm)	F (mm)
A-I-2	52/2"	5/8"	21,5	4,6	105	122	104
Z-I-2	7"	7/8"	50	19	114	250	134
C-I-2	9"	7/8"	50	19	153	250	134